

FAROL[®]



KRAMER

on the safe side

MODEL COMPARISON GUIDE

Demo Machines Available

Machines In Stock

**OVER 50 SOLD IN THE FIRST
YEAR OF SELLING!**





Small Frame Chassis Telehandlers

KT276

The most compact Kramer telehandler

Max. Lift Capacity: 2.7 tonne payload

Max. Stacking height: 6 metres

Hydraulic Pump Flow: 90 l/min

Transmission: Hydrostat

Engine: Kohler 75hp/55.4kW

- Quick and precise loading movements can be achieved using the electronically pilot operated joystick.

KT357

The perfect telehandler for your farm

Max. Lift Capacity: 3.5 tonne payload

Max. Stacking height: 7 metres

Hydraulic Pump Flow: 140 l/min

Transmission: Hydrostat

Engine: Deutz 136hp/100kW

Road Speed: 30 km/h

- Precision: The final position dampening in all 3 functions of the loader unit minimises load losses and ensures even movement sequences

KT356

DEMO AVAILABLE

The intelligent all-rounder

Max. Lift Capacity: 3.5 tonne payload

Max. Stacking height: 6 metres

Hydraulic Pump Flow: 140 l/min

Transmission: Hydrostat

Engine: Deutz 136hp/100kW

Road Speed: 30 km/h

- The manoeuvrability of the telehandler, as well as the Kramer quickhitch plate, provide maximum flexibility and durability in daily application.



Kramer Quickhitch plate: These three machines come with the sturdy 4-point supports for absolute durability with mechanical or (optionally) hydraulic lock allows rapid and efficient change of attachments.



KRAMER

Mid Frame Chassis Telehandlers

KT407 **DEMO AVAILABLE** *Compactness paired with performance*

Max. Lift Capacity: 4 tonne payload

Max. Stacking height: 7 metres

Hydraulic Pump Flow: 140 l/min

Transmission: Hydrostat

Engine: Deutz 136hp/100kW

Road Speed: 30 km/h

- The diverse agricultural applications really reflect the advantages of the continuous ecospeed transmission. An acceleration of up to 40 km/h is possible without changing gears.



KRAMER

There is the option to extend to 5yrs / 5000hrs warranty, please contact Farol for more info.*

KT429 *The telehandler with the extra stacking height*

Max. Lift Capacity: 4.2 tonne payload

Max. Stacking height: 9 metres

Hydraulic Pump Flow: 140 l/min

Transmission: Ecospeed

Engine: Deutz 136hp/100kW

Road Speed: 30 km/h

- Reduced noise development, low fuel consumption and reduced load on the individual elements become possible thanks to intelligent engine rpm reduction, in short Smart Driving.

**2yrs /
2000hrs
Warranty**
as standard on
all machines*

Large Frame Chassis Telehandlers

KT447 **DEMO AVAILABLE** *The versatile and powerful telehandler*

Max. Lift Capacity: 4.4 tonne payload

Max. Stacking height: 7 metres

Hydraulic Pump Flow: 140 l/min

Transmission: Ecospeed

Engine: Deutz 136hp/100kW

Road Speed: 30 km/h

- The vehicle is designed for high handling capacity as transverse forces are absorbed by the lateral support of the telescopic arm when pushing with a lowered boom. Trailer loads of up to 20 tonnes are no problem for the drive system

KT557 **DEMO AVAILABLE** *Concentrated performance*

Max. Lift Capacity: 5.5 tonne payload

Max. Stacking height: 7 metres

Hydraulic Pump Flow: 187 l/min

Transmission: EcospeedPRO

Engine: Deutz 156hp/115kW

Road Speed: 30 km/h

- The sturdy telehandler KT557 is designed for extremely demanding tasks. Trailer loads of up to 20 tonnes are no problem.



Wheeled Loaders



Running Time: 5 hours

Charging Time: 5-8.5 hours

Max. Stacking payload: 1750 kg

Transmission: Adjustable electric drive system

Hydraulic Pump Flow: 54 l/min

Full-electric, all wheel driven loader, highly cost efficient and absolutely emission free, allowing for indoor operation and working in noise sensitive areas. Very compact and extremely agile.



Bucket Capacity: 0.95m³

Operating Weight: 5850 kg

Hydraulic Pump Flow: 120 l/min

Transmission: Continuously variable

Engine: Deutz 75hp/55.4kW

Comfort: The final position dampening enables a gentle retraction and extension of the loading system and enables a high measure of driving comfort

NEW!
FOR
2019



Max. Bucket Tipping: 6,100kg

Max. Stacking Payload: 4200kg

Hydraulic Pump Flow: 150 l/min

Transmission: Automotive infinitely variable, hydrostatic axial piston

Engine: Deutz 136hp/100kW

The KL60.8 wheel loader impresses across the board with excellent power ratings, despite its low dead weight. The new design, innovative technology and high level of quality make it unique.



KRAMER

Genuine Parts & Service

At Farol Ltd we have 7 highly trained technicians on the Kramer product and are dedicated to provide reliable, high quality service that is part of the Farol Aftersales culture.

From pivoting electric models all the way to 7 tonne sidearm rigid telehandlers, rest assured that Farol can service your telehandler at cost and can even provide a warranty package anywhere from 3-5 years. We offer fixed price servicing at 100 / 500 / 1500 hours.



 sales@farol.co.uk

 0808 164 7700

 www.farol.co.uk

Rycote Lane Farm
Rycote Lane
Milton Common
Oxfordshire
OX9 2NZ

Boddington Road
Byfield
Daventry
Northamptonshire
NN11 6FL

Coldridge Copse
Shefford Woodlands
Hungerford
Berkshire
RG17 7BP

Wharf Farm
Coventry Road
Hinckley
Leicestershire
LE10 0NB

Holmbush House
Holmbush Ind. Est
Midhurst
West Sussex
GU29 9XY

London Road
Twyford
Reading
Berkshire
RG10 9EQ

* 2yr/2000hrs warranty on all machines are subject to terms and conditions. Correct 16/01/19